INVOICED

JUN 30 2009

LABORATORY ANALYSES

TRA-DET INC.

American Energy Corporation
Century Mine
43521 Mayhugh Hill Road Twp. Hwy. 88
Beallsville, OH 43716
Attn: Mr. Fred Blumling

16-Jun-09

By: _William Klipin_
TraDet, Inc.

Company:	American Energy Corporation	Sampled By:	QES (WD)
Plant:	017 STP	Date & Time Sampled:	06-11-09 0815
Source:	Effluent	Date & Time Received:	06-11-09 1230
Analysis Number:	0906376		

PARAMETER	CONCENTRATION		DATE & TIME ANALYZED	ANALYST	METHOD		PQL
Fecal Coliform (MF)	>2200	CFU/100mL	06-11-09 1400	LW	9222D	[1]	10 CFU/100mL

PQL: Practical Quantitation Limit
[1] Standard Methods, 18th Edition [2] Standard Methods, 20th Edition [3] US EPA [4] ASTM [5] EPA SW846

Chain Of Custody Record

Customer Name: **American Energy Corporation - Century Mine**
Address: 43521 Mayhugh Hill Road Twp. Hwy. 88
Beallsville, OH 43716
Person to Contact: FRED BLUMLING
Billing Address: Same
Date of Sample Shipment: 6-11-09
How Shipped: QES TO LAB

724-255-4691 AEC - Century
740-782-1767 QES
740-782-1905 QES FAX
304-547-9094 TRADET LAB
304-547-9097 TRADET FAX

Sampler: Quality Environmental Services, Inc. (QES)

SAMPLE LOG AND ANALYSIS REQUEST

Lab Use: Lab #	Sample Identification	Containers # and Type	Date	Time	pH / DO	Analysis Requested
6376	017 STP FECAL	1-100 mL	6-11	0815		FECAL

Relinquished by: (signature) Bill Dotn	Date & Time:	6-11 @ 1020
Relinquished by: (signature) M. McClurch	Date & Time:	6-11-09 1020
Received for laboratory by: (signature)	Date & Time:	
Received in laboratory by: (signature) M. McClurch	Date & Time:	6-11-09 1730

Comments:

Preservative Check
Received On Ice   (Y) N
Temperature Upon Arrival 2.2C